

# The All New

# A QUIET REVOLUTION





## The All New

## LET THE REVOLUTION BEGIN, QUIETLY.

Presenting the new Activa 125 BS-VI with Honda's globally acclaimed Enhanced Smart Power (eSP) technology which combines high power and high fuel efficiency with a quiet start and a smooth eco-friendly engine. Full metal body loaded with many first in segment features make it a quiet revolution.



## FRICTION REDUCTION AND IMPROVED COMBUSTION



ENHANCED SMART POWER

eSP technology maximizes the efficient combustion and minimizes fiction to optimize the energy output. eSP technology is integrated with Honda's unique ACG starter to start the engine joil free with a refined sound, and acts as a basis for our advanced Idling stop System.

The new Tumble flow technology increases the furbulence of Air-Fuel mixture, which helps in achieving improved combustion and fuel efficiency. The piston component of new Activa 125 88-VI is equipped with jet, which helps to achieve better efficiency by maintaining the temperature in all riding conditions.



#### PROGRAMMED FUEL INJECTION



Sensor-based advanced PGM-FI system constantly injects optimum fuel resulting in efficient combustion which aides in consistent power output & higher mileage.

The new Activa 125 BS-VI is powered by the globally acclaimed eSP technology which helps in silent start. Its ACG Starter Motor removes gear meshing, gear engagement noise and reduces maintenance.

### TECHNOLOGY





REAL TIME MILEAGE AND DISTANCE TO EMPTY\*

The most intelligent digital analog meter displays advanced information like distance to empty, real time

mileage and average mileage.

TECHNOLOGY



complements the broader chrome chest in the front.

STYLE & CONVENIENCE



#### DOUBLE LID EXTERNAL FUEL FILL

Fuel filling right at your fingertips. Now get fuel filled while sitting on your scooter.

#### FRONT GLOVE BOX



Spacious front glove box adds additional storage space.



# Full metal body FULL METAL BODY complements the solid trust

CBS WITH EQUALIZER



The Equalizer Technology in Combi-Brake System reduces brakina distance, so you ride with confidence.

#### 6 YEARS WARRANTY PACKAGE\*\*



6 years warranty package comprises of 3 years standard and 3 years optional service warranty.

#### TELESCOPIC FRONT SUSPENSION



Customize your ride with 3-step rear adjustable suspension, Both front & rear suspension offer utmost comfort and peace of mind to make your ride the best part of your day.



of the new Activa 125 BS-VI.

#### SIDE STAND ENGINE CUT OFF

First in segment revolutionary side stand indicator with engine cut off stops the engine when the side stand is engaged.

RELIABILITY & COMFORT

#### New Activa 125 BS-VI is available in 3 different variants for 3 different needs

FEATURE	DELUXE	ALLOY	STANDARD
Silent Start	Yes	Yes	Yes
PGM-FI	Yes	Yes	Yes
Headlamp	LED	LED	Halogen Bulb
Meter Console	Digi-Analog	Digi-Analog	Analog
Double Lid External Fuel Fill	Yes	Yes	Yes
Intelligent Display (Real time mileage, distance to empty & average mileage)*		Yes	=:
Side Stand Engine Cut Off	Yes	Yes	Optional
Engine Stop Switch	-	Yes	Yes
Idling Stop System	Yes	-	H.
Wheels	Alloy	Alloy	Sheet Metal
Front Brakes	Disc	Drum	Drum



Rebel Red Metallic







Pearl Precious White Heavy Grey Metallic Midnight Blue Metallic

 <sup>+</sup>The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • \*Distance to empty, real time and average mileage readings may vary as per variant and riding conditions . Activa 125 meets Bharat Stage VI norms . Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment . The technical specifications mentioned are for Deluxe variant . ^Mileage has increased by 13% for Activa 125 BS-VI Deluxe variant as compared to the Activa 125 BS-IV Deluxe variant . All features and colours may not be part of all variants . \*\*Conditions apply

#### Technical Specifications<sup>†</sup>

BODY DIMENSIONS		ENGINE	
Length	1850 mm	Туре	Fan Cooled, 4 Stroke, SI Engine
Width	707 mm	Displacement	124 cc
Height	1170 mm	Max Net Power	6.10 kW @ 6500 rpm
Wheel Base	1260 mm	Max Net Torque	10.3 Nm @ 5000 rpm
Ground Clearance	169 mm	Bore	50.0 mm
Seat Length	712 mm	Stroke	63.1 mm
Kerb Weight	111 kg	Fuel System	PGM-FI
Fuel Tank Capacity	5.3 L	Compression Ratio	10.0±0.2
TRANSMISSION		Air Filter Type	Viscous Paper Filter
Clutch Type	Automatic	Starting Method	Kick/Self
TYRES & BRAKES		FRAME & SUSPENSION	
Tyre Size (Front)	90/90-12 54J	Frame Type	Under Bone
Tyre Size (Rear)	90/100-10 53J	Front	Telescopic
Tyre Type (Front)	Tubeless	Rear	3-Step Adjustable
Tyre Type (Rear)	Tubeless		Spring Loaded Hydraulic
Brake Type & Size (Front)	Disc 190 mm	ELECTRICALS	
Brake Type & Size (Rear)	Drum 130 mm	Battery	5.0 Ah









LED

Headlamp









### Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp: