





ominance and aggression.





TECHNOLOGY

1st in Segment

# Golden Upside Down (USD) Front fork

Dominate the racing scene with the first-in-segment golden upside-down suspension. Handle those bumps with ease with the superior & advanced suspension.

#### Fully Digital, Liquid Crystal Meter

The perfectly positioned meter lets you know exactly how fast you're going as you assert your dominance.

Be it night or day, see your info clearly with the 5-level Illumination Control on the crystal meter.

Also, with the Gear Position Indicator, Battery Voltmeter and Service Due Indicator, stay above the rest.

#### Torque Full, New HET Engine



Every engine Honda makes is a masterpiece that goes through rigorous tests. The all-new Honda Hornet 2.0 is equipped with a HET engine that produces fierce power. With the best-in-class mid-range torque\*, leave everyone behind while the BS-VI engine makes sure that you remain eco-friendly as you fly against the wind.

### Mono Shock Rear Suspension



Be sure to maintain your centre of gravity as you fly faster than others. The mono shock suspension helps increase stability and gives superior handling as well.



After much deliberation and a series of tests, Honda Hornet 2.0 is undoubtedly backed with unmatched comfort. Because you're going to need it when your adrenaline soars as you fly against the wind.

#### **Stress Free Riding Posture**

Ride without stress as Honda Hornet 2.0 is where high-performance and stress-free riding come together. The comfortable riding posture is ideal for both the street and the highway.

## Superior Aerodynamics

The contours of the bike makes sure that when a rider takes up the riding position, they get the least resistance. Achieve superior aerodynamism with the specialised shapes of shrouds & air passages.

# TECHNICAL SPECIFICATIONS+

2047 mm
783 mm
1064 mm
1355 mm
167 mm
590 mm

Kerb weight 142 Kg
Fuel tank capacity 12 L

ENGINE

Туре	4 Stroke, SI Engine, BS-VI
Displacement	184.40 cc
Max net power	12.7 kW @ 8500 rpm
Max net torque	16.1 N-m @ 6000 rpm
Bore	61.0 mm
Stroke	63.09 mm
Fuel system	PGM-FI
Compression ratio	9.5:1

TRANSMISSION	
Clutch type	Multiplate Wet Clutch
No of gears	5

TYRES & BRAKES

Tyre size & type (front) 110/70-17 M/C 54S (Tubeless)

Tyre size & type (rear) 140/70-17 M/C 66S (Tubeless)

Brake type & size (front) Disc -276 mm (1 Channel ABS)

Brake type & size (rear) Disc - 220 mm

Self Start

# FRAME & SUSPENSION

Starting method

Frame type Diamond type
Front Upside down Fork (USD)
Rear Monoshock

## ELECTRICALS

Battery 12V, 5.0 Ah
Head lamp LED
Tail lamp LED
Winkers LED

# **AVAILABLE COLOURS**















Other Honda Shield Products\*\*
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance







- +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice
- New Hornet 2.0 meets Bharat Stage VI norms Product shown in the picture may vary from actual product available in the market
- Accessories shown in the picture are not part of standard equipment All features and colours may not be part of all variants \*As per internal testing. \*\*Conditions apply.



Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp