

BE A WING RIDER



Honda takes forward its philosophy to the next level with the Unicorn that prides itself on the perfect blend of quality, comfort and class. It is by far the most sophisticated motorcycle in its category in looks and in robustness. It is yet another creation of the renowned Honda technology.







Get Around with Style



Premium Front Cowl

Broad front cowl with smoked screen creates a bulking front stance, chrome crown on headlamp adds a stroke of premiumness.

3D Wing Mark on Voluminous Tank

Voluminous tank with aero type fuel cap reflects the macho, bold character of Unicorn. Also the 3D Honda Wing Mark on the fuel tank amplifies its premium feel.

Signature Tail Lamp

Sharp tail lamp designed to create dual chamber impression, it creates a distinctive personality of Unicorn.

Stylish Instrument Panel

Merging three circle meter console design with blue backlit illumination gives a premium appeal.

Premium Chrome on Side Cover

Premium chrome stroke on side cover, makes people notice it from a far.

Get Around with Comfort & Convenience





















Engine Stop Switch

Now no need to use ignition key to turn off the engine at red lights and other brief stops. With engine stop switch do it more conveniently by just flick of a switch.

Monoshock Suspension

With monoshock rear suspension get more stability and comfort on all types of roads and riding conditions.

Long and Comfortable Seat

24mm* longer seat provides comfortable ride for both rider and pillion.

Long Wheelbase

Long wheelbase gives stable & comfortable riding experience on rough roads and high speed.

High Ground Clearance

8mm* more ground clearance gives more peace of mind on rough roads.

HET Tubeless Tyre^

Honda's low-rolling resistance tubeless tyre is specially designed to increase fuel-efficiency.

3 + 3 Years Warranty Package

Complete peace of mind with 6 years warranty package, comprising 3 years standard and 3 years optional service warranty. Technical Specification*

Body Dimensions

2081 mm
756 mm
1103 mm
1335 mm
187 mm
140 kg
715 mm
798 mm
13 L

Transmission

Clutch Type	Multiplate Wet Clutch
No. of Gears	5



Battery	12V, 4Ah	
Head Lamp	Halogen Bulb	

Frame & Suspension

Engine

Displacement

Max Torque

Fuel System

Bore X Stroke

Compression Ratio

Starting Method

Max Engine Output

Type

Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic Type (Monoshock)

Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic Type (Monoshock)

Tyres & Brakes

Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
Tyre Size & Type (Rear)	100/90-18 M/C 56P, Tubeless
Brake Type & Size (Front)	Disc - 240 mm
Brake Type & Size (Rear)	Drum - 130 mm

⁺The technical specifications and design of the vehicles may vary according to the requirements and conditions without any notice Unicorn meets Bharat Stage VI norms. Product shown in the picture may vary from actual product available in the market. Accessories shown in the picture are not part of standard equipment. ^Only rear tyre is HET. **Conditions apply.





162.7 cc

PGM- FI

10±0.2 Self/Kick

4 Stroke, SI, BS-VI Engine

9.5 Kw @7500 rpm

14 N-m @ 5500 rpm

57.3 X 63.1 mm





Other Honda Shield Products** Annual Maintenance Contract Road Side Assistance Engine Health Assurance









Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India; Website: www.honda2wheelersindia.com; Customer Care: customercare@honda2wheelersindia.com



Imperial Red Metallic



Mat Axis Gray Metallic



Pearl Igneous Black

Dealer Stamp