









## **TECHNICAL SPECIFICATIONS**

BODY DIMENSIONS

2013 mm 786 mm

160 mm

795 mm

Width Height 1115 mm Wheel Base 1347 mm

Ground Clearance Kerb Weight

Single Disc - 143 Kg, Double Disc - 144 Kg Seat Length 582 mm

Seat Height Fuel Tank Capacity

ENGINE

4 Stroke, SI, BS-VI Engine Displacement

Max Engine Output 10.2 kW @ 8000 rpm MaxTorque 14.7 N-m @ 5500 rpm Fuel System

Bore x Stroke 57.300 x 63.096 mm Compression Ratio

Starting Method Self/Kick

TRANSMISSION Multiplate Wet Clutch Clutch Type

No. of Gears 5 Gears

**TYRES & BRAKES** 

80/100-17 M/C 46P (Tubeless) Tyre Size & Type (Front) Tyre Size & Type (Rear) 130/70-17 M/C 62P (Tubeless) Brake Type & Size (Front) Disc - 276 mm (Single Channel ABS) Brake Type & Size (Rear) Drum - 130 mm, Disc - 220 mm

FRAME & SUSPENSION

Frame Type Diamond Type Front Suspension Telescopic Rear Suspension Hydraulic, Monoshock

ELECTRICALS

12V, 4.0 Ah Battery Headlamp

AVAILABLE





















HONDA

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp